

1. IDENTIFICATION

PRODUCT CODE:	TK132
PRODUCT NAME :	Thread Locker
USAGE :	For industrial and professional usage
USAGE ADVISED AGAINST :	Any non-intended use
SUPPLIER:	Tec-N-Tec Inc. 8244 Pascal-Gagnon Montreal, QC, H1P 1Y4 Phone : (514)325-7777

2. HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE :

- Serious eye damage/eye irritation, cat. 2
- Respiratory sensitization, cat. 1
- Skin sensitization, cat. 1
- Specific target organ toxicity single exposure, STOT SE 3
- Hazardous to the aquatic environment, Aquatic chronic 3

PICTOGRAMS: (GHS07)

WARNING :

- Danger

HAZARD STATEMENTS :

- H317 May cause an allergic skin reaction.
- H319 Cause serious eye irritation.
- H335 May cause respiratory irritation.
- H412 Harmful for aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS:

- P273 Avoid release to the environment
- P280 Wear protective gloves, protective clothing, eye and face protection.
- P333+313 If skin irritation or rash occurs, get medical advice.
- P312 Call a poison center / doctor if you feel unwell
- P337+313 If eye irritation persists, get medical advice.
- P501 Dispose of waste according to applicable legislation.

OTHER HAZARDS :

- Not applicable



3. HAZARDOUS COMPONENTS					
CHEMICAL NAME	INDEX No.	%	EC No.	CAS No	
Polyglycol dimethacrylate		85-90		25852-47-5	
Propylidynetrimethyl trimethacrylate		5-10	221-950-4	3290-92-4	
Cumene hydroperoxide, alpha-dimethylbenzyl hydroperoxide	617-002-00-8	1-5	201-254-7	80-15-9	
2'-Phenylacetohydrazine		< 1	204-055-3	114-83-0	

4. FIRST AID

INHALATION : Remove casualty to fresh air and keep at rest . In all cases of doubt, or when symptoms persist, seek medical advice.

SKIN : Wash immediately with plenty of water and soap. In case of skin irritation or rash occurs: consult a doctor.

EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to remove. Continue to rinse. In case of trouble or persistent symptoms, consult an ophthalmologist.

INGESTION: Rinse mouth immediately and drink large quantities of water. In all cases of doubt, or when symptoms persist, seek medical advice.

IMPORTANT SYMPTOMS ET EFFECTS : No information available.

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED : Treat symptomatically.

5. FIREFIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA : Fine water spray, foam, carbon dioxide, dry extinguishing powder.

UNSUITABLE EXTINGUISHING MEDIA : Water jet.

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OF MIXTURE : Can be release in case of fire: Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxide (Nox).

HAZARDOUS COMBUSTION PRODUCTS : Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxide (Nox).

SPECIAL PROTECTIVE EQUIPMENT AND FIREFIGHTER PRECAUTIONS: Wear self-contained breathing apparatus and chemical protective suit. In case of fire and/or explosion, do not breath fumes. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Use water spray/stream to protect personnel and to cool endangered containers.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES : Provide adequate ventilation. Do not breath gas/vapour/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING: Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid or universal binding agents). Ventilate affected area. Treat the assimilated material according to the section on waste disposal. Clear contaminated area thoroughly. Do not empty into drains or the aquatic environment. Prevent spreading over great surfaces (e.g. by damming or installing oil booms). In case of leakage into waters, ground or drainage system, the appropriate authorities must be informed.



7. HANDLING AND STORAGE

PRECAUTION FOR SAFE HANDLING :

Provide adequate ventilation. Wear suitable protective clothing. In case of fire and/or explosion do not breath fumes. Usual measures for fire prevention. Do not breath gas / vapors / spray. Avoid contact with skin, eye and clothing.

CONDITIONS FOR SAFE STORAGE:

Keep container tightly closed in a cool, well-ventilated place. Keep container dry. Do not store with: Radioactive substances. Infectious substances. Organic peroxides. Oxidizing solids. Oxidizing liquids. Pyrophoric liquids and solids. Flammable substances. Substances or mixtures which, in contact with water, emit flammable gases. Non-combustible toxic substances. Protect against: Light. UV-Radiation/sunlight. Heat. Cooling. Moisture.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS:

Exposure limits : To date, no national limit values exist.

Appropriate engineering controls : In case of open handling, use devices with built-in suction where possible. If suction of the immediate vicinity is impossible or insufficient, adequate airing of the working place must be ensured.

Individual protection measures :

Protective and hygiene measures : Always close containers tightly after removal of product. Do not eat, drink, smoke or sneeze at the workplace. Wash hands before breaks and at the end of work. Remove contaminated clothing immediately and dispose off safely.
Wash contaminated clothing prior to re-use. Used working clothes should not be used outside the work area. Street clothing should be stored separately from work clothing.

- Eye/Face protection : Appropriate eye protection. Tightly sealed safety glasses (DIN EN 166).

- Hand protection : Pull-over rubber gloves (DIN EN 374). Suitable material: (Breakthrough time >= 480min. penetration time(maximum wearing period): 160min.). CR (polychloroprenes, chloroprene rubber) (0,5mm). NBR (Nitrile rubber) (0,35mm). FKM (Fluororubber) (0,4mm). PVC (Polyvinyl chloride) (0,5mm). Butyl rubber (0,5mm). Before using, check leak, thightness and impermeability. In case of reutilization, clean gloves before taking off and store in well-aired place. In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

- Skin protection : Wear protective clothing. Lab apron.

- Respiratory protection : Respiratory protection required in case of: Insufficient ventilation. Generation/formation of aerosols. Generation/formation of mist. Suitable respiratory protective equipment: Combination filter device (DIN EN 141). Type: A / P2 / P3, The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, closed-circuit breathing apparatus must be used.

- Environmental exposure controls : Do not empty into drains or the aquatic environment.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state and colour : Liquid / Blue Odour : Characteristic pH : Not determined Melting point/Freezing point: Not determined Boiling point : Not determined Flash point : Not determined Evaporation rate : Not determined Flammability (solid and gas) : Non-flammable Lower explosion limit : Not applicable Upper explosion limit : Not applicable Vapour pressure : Not determined Vapour density : Not determined Relative density : Not determined Water solubility : Not determined Other solvents : <2% -Data concerning the Directive 1999/13/EC on the limitation of emissions of volatile organic compounds (VOC-RL)



Partition coefficient n-octanol/water : Not determined Auto-ignition temperature : Not determined Decomposition temperature : Not determined Kinematic viscosity : Not determined

10. STABILITY AND REACTIVITY

Reactivity : No information available.

Chemical stability : The product is chemically stable under recommended conditions of storage, use and temperature.

Possibility of hazardous reactions : Materials to avoid: Strong acid, Oxidizing agents, Strong Alkalis, Concentrated.

Conditions to avoid : Protect against: Light, UV-Radiation/sunlight, Heat, Cooling, Moisture.

Incompatible materials : Materials to avoid: Strong acid, Oxidizing agents, Strong Alkalis, Concentrated.

Hazardous decomposition products : Can be release in case of fire: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (Nox).

11. TOXICOLOGICAL INFORMATION

Exposures routes : This product can be absorbed through inhalation, skin contact or digestion. **Acute toxicity :** Based on available data, the classification criteria are not met.

CAS No/CHEMICAL NAME	EXPOSURE ROUTES	METHOD	DOSE	SPECIES	SOURCE
3290-92-4 / Propylidynetrimethyl	Oral	LD50	> 2000 mg/kg	Rat	ECHA
trimethacrylate	Dermal	LD50	> 2000 mg/kg	Rabbit	ECHA
80-15-9 / Cumene hydroperoxide,	Oral	LD50	382 mg/kg	Rat	IUCLID
alpha-dimethylbenzyl hydroperoxide	Dermal	LD50	500 mg/kg	Rat	RTECS
	Inhalative vapour	LC50	(200) mg/l	Mouse	IUCLID
	Inhalative aerosol	ATE	0,5 mg/l		
114-83-0 / 2'-Phenylactohydrazinde	Oral	LD50	270 mg/kg	Mouse	

Irritation and corrosion on skin : May causes an allergic skin reaction.

Irritation and serious eye damage: Causes serious eye irritation.

Sensitizing effects: People who suffer from skins problems, asthma, allergies, chronic or recurring respiratory illnesses must not be deployed in processes, which use this substance.

STOT-Single exposure : May cause respiratory irritation. (2'-Phenylacetohydrazide)

Carcinogenicity / Toxic effects for reproduction / Germ cell mutagenicity :

Based on available data, the classification criteria are not met.

Propylidynetrimethyl trimethacrylate:

In-vitro mutagenicity:

OECD Guideline 471 (Bacterial reverse mutation assay) = negative. Literature information: ECHA Dossier

OECD Guideline 476 (In vitro mammalian cell gene mutation test) = negative. Literature information: ECHA Dossier

OECD Guideline 473 (In vitro mammalian chromosome aberration test) = positive (with metabolic activation) = negative (without

metabolic activation). Literature information: ECHA Dossier

In-vivo mutagenicity:

OECD Guideline 486 (Unschedule DNA synthesis (USD) test with mammalian liver cells in vivo) = negative. Literature information: ECHA Dossier

OECD Guideline 474 (Mammalian erythrocyte micronucleus test) = negative. Literature information: ECHA Dossier Reproductive toxicity: (45d. Rat) NOAEL =>900mg/kg(bw)/day; Literature information: ECHA Dossier

Cumene hydroperoxide, alpha-dimethylbenzyl hydroperoxide:

In-vitro mutagenicity:

OECD Guideline 471 (Bacterial reverse mutation assay) = positive. Literature information: ECHA Dossier

No experimental indications of mutagenicity in-vivo exist. Literature information: ECHA Dossier



12. ECOLOGICAL INFORMATION

Aquatic and terrestrial ecotoxicology :

CAS No/Chemical Name	ΤΟΧΙΟΙΤΥ	METHOD	DOSE	DURATION	SPECIES	SOURCE
3290-92-4	Acute Fish	LC50	2,0 mg/l	96h	Oncorhynchus mykiss	ECHA Dossier
Propylidynetrimethyl trimethacrylate	Acute Algae	ErC50	3,88 mg/l	72h	Pseudokirchnerella subcapitata	ECHA Dossier
	Acute Crustacea	EC50	9,22 mg/l	48h	Daphnia magna	ECHA Dossier
80-15-9 Cumene	Acute Fish	LC50	3,9 mg/l	96h	Oncorhynchus mykiss	ECHA Dossier
hydroperoxide, alpha- dimethylbenzyl hydroperoxide	Acute Algae	ErC50	3,1 mg/l	72h	Pseudokirchnerella subcapitata	ECHA Dossier
	Acute Crustacea	EC50	18,84 mg/l	48h	Daphnia magna	ECHA Dossier

Persistence and degradability :

CAS No/Chemical Name	METHOD	Value	Day	Source	Evaluation
3290-92-4 Propylidynetrimethyl trimethacrylate	OECD 301B	53%	28	ECHA Dossier	Product is not easily biodegradable
80-15-9 Cumene hydroperoxide, alpha- dimethylbenzyl hydroperoxide	OECD 301B/ ISO 9439 / EWG 92/69 Anhang V, C,4-C	3%	28	ECHA Dossier	Product is not easily biodegradable

Bioaccumulative potential :

CAS No	CHEMICAL NAME	LOG POW
3290-92-4	Propylidynetrimethyl trimethacrylate	3.53
80-15-9	Cumene hydroperoxide, alpha-dimethylbenzyl hydroperoxide	2.16

Mobility in soil : No data available

Other adverse effects : No data available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods: Waste disposal according to official state regulations. Consult the local waste disposal expert about waste disposal. Cleaned containers may be recycled.

Waste disposal code / unused products:

080409 - Wastes from the manufacture, formulation, supply and use (MFSU) of coatings (paints, varnishes and vitreous enamels), adhesives, sealants and printing inks; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other dangerous substances. Classified as hazardous waste.

Waste disposal number of used product:

080409 - Wastes from the manufacture, formulation, supply and use (MFSU) of coatings (paints, varnishes and vitreous enamels), adhesives, sealants and printing inks; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other dangerous substances. Classified as hazardous waste.

Waste disposal number of contaminated packaging:

150110 - Waste packaging, absorbents, wiping cloths, filter materials and protective clothing not otherwise specified; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances. Classified as hazardous waste.



14. TRANSPORT INFORMATION

UN Number : Not regulated UN Proper shipping name : Not regulated Transport hazard class(es) : Not regulated Packing group : Not regulated Environmental hazards : No Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : Irrelevant Special precautions for user : Not determined

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture. EU regulatory information :

- 1993/13/EC (VOC): <2% ; Directive COV 2004/42/CE: <20 g/l
- The preparation is dangerous in the sense of Directive 1999/45/EC.
- This preparation is hazardous in the sense of regulation (EC) No 1272/2008 (GHS).
- Not subject to regulation 96/82/EC.
- REACH 1907/2006 Appendix XVII, No 3
- Employment restriction: Observe employment restrictions for young people.
- Water contaminating class (D): 3 Highly water contaminating

Chemical safety assessment : Chemical safety assessments for substances in this mixture were not carried out.

16. OTHER INFORMATIONS

Written by: Tec-N-Tec inc. Telephone: (514)325-7777 Initial release date: 17-04-2020

THE ABOVE INFORMATION DESCRIBES EXCLUSIVELY THE SAFETY REQUIREMENTS OF THE PRODUCT AND IS BASED ON OUR PRESENT-DAY KNOWLEDGE. THE INFORMATION IS INTENDED TO GIVE YOU ADVICE ABOUT THE SAFE HANDLING OF THE PRODUCT NAMED IN THIS SAFETY DATA SHEET, FOR STORAGE, PROCESSING, TRANSPORT AND DISPOSAL. THE INFORMATION CANNOT BE TRANSFERRED TO OTHER PRODUCTS. IN THE CASE OF MIXING THE PRODUCT WITH OTHER PRODUCTS OR IN THE CASE OR PROCESSING, THE INFORMATION ON THIS SAFETY DATA SHEET IS NOT NECESSARILY VALID FOR THE NEW MADE-UP MATERIAL.